

Crowd Counting by Adaptively Fusing Predictions from an Image Pyramid: Supplemental

Di Kang
dkang5-c@my.cityu.edu.hk
Antoni Chan
abchan@cityu.edu.hk

Department of Computer Science
City University of Hong Kong
Hong Kong SAR

We provide more demo images in this file.

1 ShanghaiTech dataset

Please refer to Fig. 1 for more demo images and predictions from ShanghaiTech part A and Fig. 2 for more demo images and predictions from ShanghaiTech part B.

2 WorldExpo dataset

Please refer to Fig. 3 for more demo images and predictions from WorldExpo using 3 scales.

3 UCSD dataset

Please refer to Fig. 4 for more demo images and predictions from UCSD using 2 scales.




Figure 1: Examples of our image pyramid CNN (FCN-7c-2s) on ShanghaiTech part A. Numbers in parenthesis is the total density value inside ROI. Best viewed in color.




Figure 2: Examples of our image pyramid CNN (FCN-7c-3s) on ShanghaiTech part B. Numbers in parenthesis is the total density value inside ROI. Best viewed in color.




Figure 3: Examples of our image pyramid CNN (FCN-7c-3s) on WorldExpo dataset. Numbers in parenthesis is the total density value inside ROI. Best viewed in color.




Figure 4: Examples of our image pyramid CNN (FCN-5c-2s) on UCSD dataset. Numbers in parenthesis is the total density value inside ROI. Best viewed in color.