

Real-Time Minimization of the Piecewise Smooth Mumford-Shah Functional

Evgeny Strekalovskiy and Daniel Cremers*

TU Munich, Germany

Abstract. We propose an algorithm for efficiently minimizing the piecewise smooth Mumford-Shah functional. The algorithm is based on an extension of a recent primal-dual algorithm from convex to non-convex optimization problems. The key idea is to rewrite the proximal operator in the primal-dual algorithm using Moreau's identity. The resulting algorithm computes piecewise smooth approximations of color images at 15-20 frames per second at VGA resolution using GPU acceleration. Compared to convex relaxation approaches [18], it is orders of magnitude faster and does not require a discretization of color values. In contrast to the popular Ambrosio-Tortorelli approach [2], it naturally combines piecewise smooth and piecewise constant approximations, it does not require an epsilon-approximation and it is not based on an alternation scheme. The achieved energies are in practice at most 5% off the optimal value for one-dimensional problems. Numerous experiments demonstrate that the proposed algorithm is well-suited to perform discontinuity-preserving smoothing and real-time video cartooning.

Keywords: Mumford-Shah functional, non-convex optimization, real-time, primal-dual.

1 Introduction

With over 4000 citations to date, the Mumford-Shah functional [15] is among the most influential publications in the field of image analysis. This and related publications by Blake and Zisserman [3] and others have sparked enormous research activity on discontinuity-preserving smoothing, piecewise-smooth approximations and minimal partition problems [14]. Yet, the computation of the *piecewise-smooth* approximation has rarely made it into practical image and video analysis methods because minimization of this non-convex functional is difficult and existing algorithmic solutions are far from real-time capability. The contribution of this paper is to propose what we believe to be the first real-time capable algorithm for computing piecewise smooth approximations of color images based on the Mumford-Shah functional.

* This work was supported by the ERC Starting Grant "ConvexVision".



Fig. 1. We propose a fast algorithm to approximately solve the piecewise smooth Mumford-Shah model. With 20 frames per second and above, it allows real-time image processing with applications such as denoising and cartooning.

1.1 The Mumford-Shah Problem

The Mumford-Shah functional [15] provides a prototypical form of all regularizers which aim at combining a smoothing of homogeneous regions with the enhancement of edges. Given a bounded open set $\Omega \subset \mathbb{R}^d$, $d \geq 1$, the vectorial Mumford-Shah problem is given by

$$\min_{u,K} \left\{ \int_{\Omega} |u - f|^2 dx + \alpha \int_{\Omega \setminus K} |\nabla u|^2 dx + \lambda |K| \right\}, \quad (1)$$

where $f : \Omega \rightarrow \mathbb{R}^k$ is a vector-valued input image with $k \geq 1$ channels. This model approximates f by a function $u : \Omega \rightarrow \mathbb{R}^k$ which is smooth everywhere in Ω except for a possible $(d - 1)$ -dimensional jump set K , at which u is discontinuous. The weight $\lambda > 0$ controls the length of the jump set K (less jumps for larger λ) and $\alpha > 0$ penalizes the smoothness of u outside of K . The limiting case $\alpha \rightarrow \infty$ imposes zero gradient outside K and is known as the *piecewise constant* Mumford-Shah model or the “cartoon” limit [15]. The norm of the gradient $|\nabla u|$ in (1) is the Euclidean norm $|\nabla u|^2 = \sum_i |\nabla u_i|^2$, and the norm in the term $|u - f|$ is also Euclidean.

Since the jump set K is defined as the union of the jump sets of the individual channels $u_i : \Omega \rightarrow \mathbb{R}$, we have a coupling among the channels assuring that jumps in different channels preferably coincide – see also [18].

1.2 Related Work

The Mumford-Shah problem has been intensively studied in the applied math community [14]. In practice its applicability is substantially limited because of its non-convexity. While it is often replaced by the convex total variation, this is a poor substitute because of its tendency to reduce the contrast at edges




Fig. 2. Comparison with the Ambrosio-Tortorelli model. The images show piecewise smooth approximation results for $\lambda = 0.1, \alpha = 100$ (**top row**) and $\lambda = 0.1, \alpha = 10000$ (**bottom row**). While the AT results vary with the parameter ε (and it is not clear how to choose it appropriately), our method has no additional parameters, is stable for every λ and α , and about 3–5 times faster.

and oversmooth flat regions (staircasing). As a consequence, researchers have developed different optimization strategies to tackle the non-convex Mumford-Shah problem.

Alternating Minimization Schemes. One kind of methods consists of non-convex approximations of the original Mumford-Shah functional, where one alternately minimizes for u and for K [2,20,11].

The Ambrosio-Tortorelli Approach. The non-convex phase-field model of Ambrosio and Tortorelli [2], for example, is given by:

$$\min_{u,s} \int_{\Omega} |u - f|^2 dx + \alpha \int_{\Omega} (1 - s)^2 |\nabla u|^2 dx + \lambda \int_{\Omega} \left(\varepsilon |\nabla s|^2 + \frac{1}{4\varepsilon} s^2 \right) dx \quad (2)$$

with a small parameter $\varepsilon > 0$. The key idea is to introduce the additional variable $s : \Omega \rightarrow \mathbb{R}$ as an edge set indicator, in the sense that points $x \in \Omega$ are part of the edge set K if $s(x) \approx 1$ and part of the smooth region if $s(x) \approx 0$.

It was shown in [2] that this approximation Γ -converges to the Mumford-Shah functional for $\varepsilon \rightarrow 0$, i.e. minimizers of (2) approach minimizers of (1). One finds u and s by alternating minimization, computing s for fixed u and vice versa. Each of these subproblems is elliptic and can be solved quickly, e.g. by the linearly converging primal-dual method [8]. Extensions of this approximation to color images have been proposed in [5].

One disadvantage of this model, beside its non-convexity, is its dependency on an additional parameter ε . To obtain a good approximation of minimizers of (1),




Fig. 3. Real-time unsupervised segmentation. The proposed method (**top row**) directly includes the piecewise *constant* case $\alpha = \infty$, which allows to segment an image with an automatic selection of suitable color models in real-time. This is in contrast to L_0 -Smoothing (**bottom row**, $\kappa = 1.05$), which leads to piecewise smooth solutions. Avoiding this by choosing small $\kappa > 1$ leads to significant run times.

ε will depend on α , λ and f . Generally, ε must be chosen small for increasing α , and for large α the dependency becomes sensitive and a good choice is unclear. This makes the approach infeasible for the piecewise constant case $\alpha = \infty$.

The L_0 -Smoothing Approach of Xu et al. For the piecewise constant case, Xu et al. [21] recently proposed a fast approximating method. Assuming the image domain has been discretized into a finite rectangular grid, again denoted by Ω , the piecewise constant Mumford-Shah limit corresponds to L_0 penalization of the gradient:

$$\min_u \sum_{x \in \Omega} |u(x) - f(x)|^2 + R_{MS_0}(\nabla u(x)) \quad (3)$$

where

$$R_{MS_0}(g) = \begin{cases} \lambda & \text{if } g \neq 0 \\ 0 & \text{else} \end{cases} \quad (4)$$

and the gradient $\nabla u = (\nabla u_i)_{1 \leq i \leq k}$ is discretized e.g. using forward differences. Intuitively, the regularizer R_{MS_0} summed up over all pixels counts how many times u changes its value. This way, it prefers regions of constancy instead of smooth variations. Xu et al. propose a quadratic decoupling strategy to solve (3), introducing new variables g which approximate the gradient:

$$\min_{u, g} \sum_{x \in \Omega} |u(x) - f(x)|^2 + \beta |\nabla u(x) - g(x)|^2 + R_{MS_0}(g(x)) \quad (5)$$

with a parameter $\beta > 0$ and the Euclidean norm for the coupling. This approximation is again solved via alternating minimization. After having computed the next u and g , the parameter β is increased to $\kappa\beta$ with a $\kappa > 1$ until a final β_{\max}




Fig. 4. Comparison with the convexification approach [18] for the MS model (1). The images show denoising results for different parameters α and λ . While both algorithms provide discontinuity-preserving smoothing, in the piecewise constant limit (**bottom row**), the solutions of [18] appear too smooth or blurry. Moreover, since [18] adds an additional dimension to the problem because of color quantization, it requires much more memory (> 2 GB) and is about 50–500 times slower than our approach.

is reached. Starting value for β is chosen automatically as $\beta_0 = 2\lambda$. Multiplier κ is set either to 2 (fast but smooth result) or 1.05 (slow and more piecewise constant).

Because of the empirical nature of the coupling, it is not clear how the computed solutions u mathematically relate to the original model (3), or even to (1). In fact, the computed solutions are actually not piecewise constant, but vary smoothly over large areas.

Convex Relaxation Methods. In the recent past, several authors have overcome the issue of non-convexity by suggesting convex relaxations for respective functionals [1,10]. Convex relaxations for the piecewise constant Mumford-Shah functional were proposed in [13,7,22]. Convex relaxations for the piecewise smooth Mumford-Shah model were proposed for the scalar [16] and for the vectorial case [18]. The key idea is to rewrite the multi-label problem as a binary labeling problem in a higher-dimensional space. Relaxation of the binary constraint leads to a convex problem which can be minimized optimally. Subsequent binarization provides an approximate solution of the original problem.

Some of these approaches were clearly inspired by the Markov random field (MRF) community, where the discrete variant of the Mumford-Shah regularizer is typically referred to as a truncated quadratic penalizer [4,12,19].

Unfortunately, these methods to compute approximate minimizers are currently far from real-time capability because the added label space dimension drastically increases memory and run time. For the Mumford-Shah model the

run time even grows quadratically in the number of considered color values. Thus, the problem of computing good approximate minimizers of the Mumford-Shah energy in real-time remains an important challenge.

1.3 Contribution

In this paper, we propose a novel algorithm to efficiently compute approximate minimizers of the full Mumford-Shah functional (1). It combines several important advantages:

- The Mumford-Shah energy is minimized directly, instead of alternatingly. Therefore there is a clear correspondence between the computed solutions and the original functional.
- In contrast to other methods like the Ambrosio-Tortorelli approximation or the L_0 -Smoothing, our method naturally combines the piecewise smooth and the piecewise constant approximation. In the latter case, the solution is guaranteed to be piecewise constant, in contrast to the L_0 -smoothing.
- The method runs in real-time. For VGA 640×480 images, the achieved frame rates are 15–20 Hz for piecewise smooth approximations, and still about 5–10 Hz for almost piecewise constant ones (α large).
- The algorithm is easy to implement. It is based on a simple state-of-the-art primal-dual algorithm. In order to apply it to the non-convex MS regularizer, we reformulate one step of this algorithm in a slight but crucial way. All computations remain simple and elementary.

2 Proposed Finite-Difference Discretization

Similar to [21] we work with an already discretized image domain Ω . We propose to minimize the energy

$$\min_u E_{MS}(u) = \sum_{x \in \Omega} |u(x) - f(x)|^2 + R_{MS}(\nabla u(x)) \quad (6)$$

with

$$R_{MS}(g) := \min(\alpha|g|^2, \lambda). \quad (7)$$

Just as in the term $|\nabla u|$ in (1), the gradient norm in (7) is the Euclidean one, regarding the matrix $g = \nabla u = (\nabla u_i)_{1 \leq i \leq k} \in (\mathbb{R}^d)^k$ as an element of \mathbb{R}^{dk} . The gradient discretization can be done in several meaningful ways. In our implementation we used forward differences as they give visually good results at minimal implementation costs. Another possibility is to use a “staggered grid”, where the gradient is computed in the middle point between four pixels [22].

The idea of (6) is to model the edge set explicitly in terms of the function u itself. Namely, the edge set K consists here of all points where the minimum value is λ in (7), i.e. where the gradient is large enough:

$$K_{MS} := \left\{ x \in \Omega \mid |\nabla u(x)| \geq \sqrt{\lambda/\alpha} \right\}. \quad (8)$$

Indeed, for $x \in K_{MS}$ we have $R_{MS}(\nabla u(x)) = \lambda$, while for $x \notin K_{MS}$ we have $R_{MS}(\nabla u(x)) = \alpha|\nabla u(x)|^2$.

In the cartoon limit $\alpha \rightarrow \infty$ expression (7) becomes (4). Applying this regularizer in (6) yields *piecewise constant* approximations of the input image. This model is the same as (3) which is considered in [21]. Note that in contrast to convex relaxation methods [16,18] we do not need to discretize the range of $u : \Omega \rightarrow \mathbb{R}^k$ into a finite set in order to compute solutions, and therefore fully avoid the corresponding dramatic increase in memory consumption and computation time. The model (6) can be regarded as a natural discretization of the Mumford-Shah energy (1) for a discrete image domain, as will be explained next.

Connection to the Mumford-Shah Energy (1). For 2D scalar images, i.e. $k = 1$ and $d = 2$, in [9] Chambolle considered a variant E_{l^1} of the Mumford-Shah energy (1) where the usual Euclidean length $|K|$ of the edge set is replaced by the l^1 -norm length $L_{l^1}(K)$. Intuitively, if K were approximated by small line pieces, everyone of which being either horizontal or vertical, $L_{l^1}(K)$ would be the usual length of this approximation. It was shown that, if the image domain is discretized into a finite rectangular grid of pixel width h , the discrete energies

$$E^h(u) = \sum_{x \in \Omega} h^2 |u(x) - f^h(x)|^2 + R_{MS}^h(\nabla u(x)) \tag{9}$$

Γ -converge to E_{l^1} for $h \rightarrow 0$, with

$$R_{MS}^h(g) := \min(\alpha|g_1|^2, \frac{1}{h}\lambda) + \min(\alpha|g_2|^2, \frac{1}{h}\lambda) \tag{10}$$

and $f^h(x) := \frac{1}{h^2} \int_{\text{Pixel } x} f^{\text{continuous}}(y) dy$. The gradient ∇ is discretized by forward differences. For instance, for the approximation of E_{l^1} by (9) we can choose $h = 1$, assuming the continuous domain has the size of the pixel grid.

Our proposed energy (6) is motivated by (9). Indeed, observe that penalizing $g_1 = \partial_x u$ and $g_2 = \partial_y u$ separately in (10) (no coupling) results in the l^1 -norm length $L_{l^1}(K)$ for the edge set length. A natural conjecture is that, changing the coupling to the l^2 -norm as in the proposed model (7), one would obtain the usual l^2 -norm length $|K|$. Experiments suggest that this is indeed the case, since the obtained solutions do not show visible signs of grid dependance.

In addition to considering the l^2 -coupling of the gradient in (7), we simultaneously extend the approach to the vectorial case $k \geq 1$, again by considering the l^2 -norm of all possible derivatives of u in (7).

3 Minimization Algorithm

3.1 Algorithm for Convex Regularizers R

To give a motivation for our algorithm, we first consider the energy minimization problem (6) for *convex* regularizers R in place of R_{MS} . First we need a few definitions. For a function $R : \mathbb{R}^{d \times k} \rightarrow \mathbb{R}$ the Legendre-Fenchel *convex conjugate* [17] is defined as

$$R^*(p) := \sup_{g \in \mathbb{R}^{d \times k}} \langle p, g \rangle - R(g), \tag{11}$$

where $\langle \cdot, \cdot \rangle$ is the standard scalar product on $\mathbb{R}^{d \times k}$. A well-known fact about the convex conjugate is that for convex and lower-semicontinuous R it holds $R = (R^*)^*$, i.e.

$$R(g) = \sup_{p \in \mathbb{R}^{d \times k}} \langle p, g \rangle - R^*(p). \tag{12}$$

For general R , expression (12) gives the *convex envelope* of R , which is the largest convex function pointwise below or equal to R . The *proximal operator* [8] of R is defined as

$$\text{prox}_{\tau, R}(\tilde{g}) := \arg \min_{g \in \mathbb{R}^{d \times k}} \frac{|g - \tilde{g}|^2}{2\tau} + R(g) \tag{13}$$

for parameters $\tau > 0$ and arguments $\tilde{g} \in \mathbb{R}^{d \times k}$.

Primal-Dual Algorithm. Consider now the energy (6) with a *convex* (and lower-semicontinuous) regularizer R instead of R_{MS} . The first step is to use (12) as a means of variable decoupling. We get

$$E(u) = \sup_{p: \Omega \rightarrow \mathbb{R}^{d \times k}} \sum_{x \in \Omega} |u(x) - f(x)|^2 + \langle p(x), \nabla u(x) \rangle - R^*(p(x)). \tag{14}$$

Taking the minimum of (14) over u , we obtain a classical saddle-point problem. The state-of-the-art primal-dual algorithm [8] is developed especially for this kind of problems. Furthermore, we can use the accelerated Algorithm 2 of [8] since the data term $D(u) := \sum_{x \in \Omega} |u(x) - f(x)|^2$ in (14) is uniformly convex with constant $\gamma = 2$: for any u and u' , $D(u) \geq D(u') + \langle 2f, u - u' \rangle + \frac{\gamma}{2} \|u - u'\|^2$. The update equations are as follows:

$$p^{n+1} = \text{prox}_{\sigma_n, R^*}(p^n + \sigma_n \nabla \bar{u}^n), \tag{15}$$

$$u^{n+1} = \text{prox}_{\tau_n, D}(u^n + \tau_n \text{div } p^{n+1}), \tag{16}$$

$$\theta_n = \frac{1}{\sqrt{1+4\tau_n}}, \quad \tau_{n+1} = \theta_n \tau_n, \quad \sigma_{n+1} = \sigma_n / \theta_n, \tag{17}$$

$$\bar{u}^{n+1} = u^{n+1} + \theta_n (u^{n+1} - u^n). \tag{18}$$

The divergence $\text{div } p = (\text{div } p_i)_{1 \leq i \leq k}$ for $p : \Omega \rightarrow \mathbb{R}^{d \times k} = (\mathbb{R}^d)^k$ is defined as the negative adjoint of the gradient [6]. The starting values u^0 and p^0 are arbitrary, with $\bar{u}^0 = u^0$ and time steps $\tau_0 \sigma_0 \|\nabla\|^2 < 1$. Since $\|\nabla\| < \sqrt{4d}$ [8], we can set $\tau_0 = \frac{1}{2d}$, $\sigma_0 = \frac{1}{2}$. As proved in [8], the iterates (u^n, p^n) converge to a solution of the saddle-point problem (14) with energy rate $\mathcal{O}(1/n^2)$.

The proximal operator for u in (16) can be easily computed explicitly:

$$\text{prox}_{\tau, D}(\tilde{u}) = \frac{\tilde{u} + 2\tau f}{1 + 2\tau}. \tag{19}$$

Reformulation of (15) by Moreau's Identity. Note that the only place where the regularizer enters the algorithm is step (15), and this dependency is in terms of the convex conjugate R^* . Plugging in an arbitrary, possibly non-convex regularizer R , through (12) this means that the algorithm would work as if the *convex*

Algorithm 1. Fast Mumford-Shah Minimization

Input: Image $f : \Omega \rightarrow \mathbb{R}^k$, parameters $0 < \alpha, \lambda \leq \infty$ and $\varepsilon > 0$ ($d = \dim \Omega$)
Initialize: $u^0 = f$, $\bar{u}^0 = u^0$, $p^0 = 0$, $\tau_0 = \frac{1}{2d}$, $\sigma_0 = \frac{1}{2}$

- 1 **for** $n \geq 0$ **until** $\|u^{n+1} - u^n\| < \varepsilon$ **do**
- // Dual ascent in p
- 2 $\tilde{p}(x) = p^n(x) + \sigma_n \nabla \bar{u}^n(x)$
- 3 $p^{n+1}(x) = \begin{cases} \frac{2\alpha}{\sigma_n + 2\alpha} \tilde{p}(x) & \text{if } |\tilde{p}(x)| \leq \sqrt{\frac{\lambda}{\alpha} \sigma_n (\sigma_n + 2\alpha)} \\ 0 & \text{else} \end{cases}$
- // Primal descent in u
- 4 $\tilde{u}(x) = u^n(x) + \tau_n \operatorname{div} p^{n+1}(x)$
- 5 $u^{n+1}(x) = (\tilde{u}(x) + 2\tau_n f(x)) / (1 + 2\tau_n)$
- // Extrapolation step
- 6 $\theta_n = \frac{1}{\sqrt{1+4\tau_n}}$, $\tau_{n+1} = \theta_n \tau_n$, $\sigma_{n+1} = \sigma_n / \theta_n$
- 7 $\bar{u}^{n+1} = u^{n+1} + \theta_n (u^{n+1} - u^n)$
- 8 **end**

envelope of R were given as the regularizer instead of R . For example, the convex envelope of R_{MS} is the zero function, so the algorithm for R_{MS} would behave as if there were no regularization at all.

To make the algorithm applicable also to non-convex R , the central idea is to reformulate step (15) by reducing the proximal operator of R^* to that of R . For this, we make use of Moreau’s identity [17]:

$$\operatorname{prox}_{\sigma, R^*}(p) = p - \sigma \operatorname{prox}_{\frac{1}{\sigma}, R}(p/\sigma). \tag{20}$$

Applying this to (15), the algorithm only becomes written in a slightly different way. For convex R the sequence u^n is still the same and all convergence guarantees still hold.

3.2 Proposed Algorithm for the MS-Energy

The main advantage of reformulating the step (15) by (20) is that the algorithm now becomes applicable also to non-convex regularizers, because only R itself enters the right hand side of (20), and not R^* . We propose to apply the reformulated algorithm to the Mumford-Shah case with the *non-convex* regularizer R_{MS} in (7).

It remains to compute the right hand side of (20), and for this we need to compute the proximal operator

$$\operatorname{prox}_{\tau, R_{MS}}(\tilde{g}) = \arg \min_{g \in \mathbb{R}^{d \times k}} \frac{|g - \tilde{g}|^2}{2\tau} + \min(\alpha |g|^2, \lambda).$$




Fig. 5. Convergence of the proposed algorithm. For different values of α and λ the algorithm steadily decreases the energy (6) (solid lines) to a limit energy E^* , here approximated by $E^* = E(u^{10^6})$. Experimentally the convergence rate is roughly $O(1/n^2)$ (dashed lines).

Although this energy is not convex, its simple structure allows us to find an *explicit formula* for the minimizer:

$$\text{prox}_{\tau, R_{MS}}(\tilde{g}) = \begin{cases} \frac{1}{1+2\tau\alpha} \tilde{g} & \text{if } |\tilde{g}| \leq \sqrt{\frac{\lambda}{\alpha}(1+2\tau\alpha)}, \\ \tilde{g} & \text{else.} \end{cases}$$

Inserting this into (20) results in

$$\text{prox}_{\sigma, R_{MS}^*}(\tilde{p}) = \begin{cases} \frac{2\alpha}{\sigma+2\alpha} \tilde{p} & \text{if } |\tilde{p}| \leq \sqrt{\frac{\lambda}{\alpha}\sigma(\sigma+2\alpha)}, \\ 0 & \text{else.} \end{cases} \tag{21}$$

For the piecewise constant limit case $\alpha \rightarrow \infty$, the right hand side of (21) simplifies to

$$\text{prox}_{\sigma, R_{MS0}^*}(\tilde{p}) = \begin{cases} \tilde{p} & \text{if } |\tilde{p}| \leq \sqrt{2\lambda\sigma}, \\ 0 & \text{else.} \end{cases} \tag{22}$$

We obtain Algorithm 1 for the minimization of the proposed Mumford-Shah functional (6). The algorithm always converges experimentally, with roughly $O(1/n^2)$ energy rates, see Fig. 5. Although we do not have a proof of convergence yet, nonetheless we can prove the boundedness of u^n for the piecewise smooth case $\alpha < \infty$:




Fig. 6. Denoising quality in dimension $d = 1$ with $\alpha = 1000$ and $\lambda = 0.3$. Our approach yields a solution most closely resembling the optimal solution. We do not have any further parameters, while in contrast the AT method is highly sensitive w.r.t. ε .

Proposition 1. *The sequence (u^n, p^n) generated by Algorithm 1 is bounded and thus compact for $\alpha < \infty$, for instance it has a convergent subsequence.*

Proof. See supplementary material.

We terminate once the solution does not change significantly anymore. This will always be the case for any choice of the parameters, as stated in the following proposition:

Proposition 2. *Algorithm 1 always terminates, i.e. $\|u_{n+1} - u_n\| \xrightarrow{n \rightarrow \infty} 0$.*

Proof. See supplementary material.

We set $\varepsilon = 5 \cdot 10^{-5}$. To reduce run time, we compute $\|u^{n+1} - u^n\|$ only once every 10 iterations, the norm here being defined as

$$\|\tilde{u}\| := \frac{1}{|\Omega|} \sum_{x \in \Omega} \sum_{1 \leq i \leq k} |\tilde{u}_i(x)|. \tag{23}$$

We use a parallel CUDA implementation on the NVIDIA GTX 680 GPU.




Fig. 7. Energy optimality in dimension $d = 1$. For the proposed method, in practice the obtained energy is always at most 5% off the optimal energy E_{opt} . The AT and convex relaxation methods both yield higher energies. In addition, the ε -dependency of AT is sensitive for big α (red lines), and the convex relaxation method needs a sufficiently fine range discretization into n levels (red lines).

4 Experiments

4.1 Energy in One-Dimensional Case

In dimension $d = 1$ the MS energy (6) can be efficiently minimized using dynamic programming [9]. Fig. 6 compares the results of our approach, convex relaxation [18] and the Ambrosio-Tortorelli approximation, with our result most closely resembling the optimal solution (input is the lower row of the image in Fig. 3). In fact, in practice our obtained energy is always at most 5% off the optimal energy, see Fig. 7.

4.2 Comparison with Convex Relaxation

The method [18] computes *relaxed* solutions of (1) through convexification. Since it discretizes the color space, it requires huge amounts of memory (> 2 GB for VGA resolution and 32 levels for each channel) and is slow (30–300 seconds). In contrast, we only need about 15 MB and the run time is real-time. In general, our results are always visually similar with [18], see Fig. 4, which indicates the appropriateness of our method for solving the MS model. While the results of [18] are often too smooth and blurry, even for the piecewise constant case $\alpha = \infty$, our model yields results with visually well-defined sharp transitions.

4.3 Comparison with Ambrosio-Tortorelli

The AT approximation has an additional parameter ε . It is not clear how to choose a suitable ε given λ and α in order to obtain “true” minimizers of the MS model (1). The results depend on ε and this dependency becomes more and more sensitive for larger α , see Fig. 2 and 6. In contrast, our method comes without any additional parameters, is stable in λ and α , and also turns out to be about 5–10 times faster. While the AT model requires alternating minimization and the two involved subproblems can be solved only approximately, we propose a direct well-defined algorithm which is also applicable for the case $\alpha = \infty$.




Fig. 8. Grid artifacts of L_0 -Smoothing [21]. The method [21] (**center**, $\lambda = 0.035$) measures edge lengths with the anisotropic l^1 -norm. This leads to significant artifacts as result edges tend to align with coordinate axes. We use the l^2 -norm (**right**, $\lambda = 0.82$, $\alpha = \infty$), yielding more natural results.

4.4 Comparison with L_0 -Smoothing

The method [21] is devised for the piecewise constant case $\alpha = \infty$, but the solutions depend on a parameter $\kappa > 1$. To reduce smooth variations, it must be chosen near 1, which increases the run time significantly. In contrast, our method is directly applicable with $\alpha = \infty$ and the solutions are guaranteed to be piecewise constant, see Fig. 3. Because of the heuristic decoupling there is no clear relation between the parameter λ in (5) (through (4)) and the original parameter λ in (1). Since in (5) the g -subproblem is solved exactly, one can see that $R_0(g)$ then measure edges in the *anisotropic* l^1 -norm. This leads to grid artifacts, see Fig. 8, in contrast to our primal-dual formulation.

4.5 Real-Time Unsupervised Image Segmentation

The proposed method naturally includes the piecewise constant limit $\alpha = \infty$, see Fig. 3. This allows one to segment an image with automatic selection of the most suitable color models in real-time. In contrast, results of the L_0 -Smoothing always have smooth variations, which can only be avoided at considerable increase of run time. Also, [21] approximates (1) worse and worse when increasing the edge set penalization λ . This leads to artifacts such failing to get rid of small scale structures (grass) despite an overall smooth solution.

4.6 Real-Time Video Cartooning

The proposed method remains fast even when approaching the cartoon limit of the MS model (1), i.e. for large α , with more than 20 frames per second on three GPUs, and still about 5–10 frames per second on a single GPU. This allows us to apply the MS model to videos in real time, processing them frame by frame, see Fig. 9 and the supplementary material.

To reduce artificial solution variations from frame to frame, we employ temporal regularization at each pixel, yielding the energy

$$E_{MS}(u) + \gamma \sum_{x \in \Omega} |u(x) - u_{\text{prev}}(x)|^q \quad (24)$$



Fig. 9. Video cartooning. The cartoon limit $\alpha \rightarrow \infty$ of our method allows to compute real-time cartoonings of video sequences (**top:** an input frame, **bottom:** cartooned frame), $\lambda = 1.5$, $\alpha = 500$, $\gamma = 0.4$ in (24). Average processing frame rate: 10.3 Hz.

with a small $\gamma > 0$, e.g. 0.4, and $q = 1.5$. This only affects the proximal operator (16), so that line 5 of the Algorithm 1 becomes slightly altered, see supplementary material. A practical side effect, in addition to regularization, is that this further accelerates the convergence of our algorithm.

The exponent $q = 1.5$ performs best in practice, having an effect between $q = 2$, where the results are blurry due to uniform averaging, and $q = 1$, where the previous frame influence is too strong, see supplementary material. Furthermore, to accommodate for low contrast edges, we use an adaptive variant of (7): $\min(\alpha|g|^2, \lambda w(x))$ with $w(x) := \exp(-|\nabla f(x)|/s)$ and $s := \frac{1}{|\Omega|} \sum_{x \in \Omega} |\nabla f(x)|$.

5 Conclusion

We proposed an algorithm which allows to efficiently minimize the piecewise smooth and piecewise constant Mumford-Shah model. Using Moreau's identity to simplify respective proximal operators, we were able to generalize a recent primal-dual algorithm from convex to non-convex optimization. The resulting method computes piecewise smooth or piecewise constant approximations of color-images at 15-20 Hz at VGA resolution. Compared to existing convex relaxation methods, it does not require a discretization of color values and it is orders of magnitude faster. In contrast to the popular Ambrosio-Tortorelli approach, it does not require an epsilon-approximation and pursues a direct rather than an alternating minimization scheme. Numerous experiments demonstrate that the proposed algorithm is well-suited to perform discontinuity-preserving smoothing and real-time video cartooning.

References

1. Alberti, G., Bouchitté, G., Dal Maso, G.: The calibration method for the Mumford-Shah functional and free-discontinuity problems. *Calc. Var. Partial Differential Equations* 16(3), 299–333 (2003)
2. Ambrosio, L., Tortorelli, V.M.: Approximation of functionals depending on jumps by elliptic functionals via Γ -convergence. *Comm. Pure Appl. Math.* 43, 999–1036 (1990)
3. Blake, A., Zisserman, A.: *Visual Reconstruction*. MIT Press (1987)
4. Boykov, Y., Veksler, O., Zabih, R.: Fast approximate energy minimization via graph cuts. *IEEE Trans. on Patt. Anal. and Mach. Intell.* 23(11), 1222–1239 (2001)
5. Brook, A., Kimmel, R., Sochen, N.A.: Variational restoration and edge detection for color images. *Journal of Mathematical Imaging and Vision* 18(3), 247–268 (2003)
6. Chambolle, A.: An algorithm for total variation minimization and applications. *J. Math. Im. Vis.* 20(1-2), 89–97 (2004)
7. Chambolle, A., Cremers, D., Pock, T.: A convex approach to minimal partitions. *SIAM Journal on Imaging Sciences* 5(4), 1113–1158 (2012)
8. Chambolle, A., Pock, T.: A first-order primal-dual algorithm for convex problems with applications to imaging. *J. Math. Imaging Vis.* 40, 120–145 (2011)
9. Chambolle, A.: Image segmentation by variational methods: Mumford and Shah functional and the discrete approximations. *SIAM J. Appl. Math.* 55(3), 827–863 (1995)
10. Giaquinta, M., Modica, G., Souček, J.: *Cartesian currents in the calculus of variations I, II*, *Ergebnisse der Mathematik und ihrer Grenzgebiete. 3, vol. 37-38*, pp. 37–38. Springer, Berlin (1998)
11. Grady, L., Alvino, C.: The piecewise smooth Mumford-Shah functional on an arbitrary graph. *IEEE Transactions on Image Processing* 18(11) (2009)
12. Komodakis, N., Tziritas, G.: Approximate labeling via graph-cuts based on linear programming. *IEEE Trans. on Patt. Anal. and Mach. Intell.* 29(8), 1436–1453 (2007)
13. Lellmann, J., Schnörr, C.: Continuous multiclass labeling approaches and algorithms. *SIAM J. Imaging Sciences* 4(4), 1049–1096 (2011)
14. Morel, J.M., Solimini, S.: *Variational Methods in Image Segmentation*. Birkhäuser, Boston (1995)
15. Mumford, D., Shah, J.: Optimal approximations by piecewise smooth functions and associated variational problems. *Comm. Pure Appl. Math.* 42(5), 577–685 (1989)
16. Pock, T., Cremers, D., Bischof, H., Chambolle, A.: An algorithm for minimizing the piecewise smooth Mumford-Shah functional. In: *ICCV* (2009)
17. Rockafellar, R.T.: *Convex Analysis*. Princeton University Press (1996)
18. Strelakovsky, E., Chambolle, A., Cremers, D.: A convex representation for the vectorial Mumford-Shah functional. In: *CVPR* (June 2012)
19. Veksler, O.: Graph cut based optimization for mrfs with truncated convex priors. In: *CVPR* (2007)
20. Vese, L., Chan, T.: A multiphase level set framework for image processing using the Mumford–Shah functional. *Int. J. of Computer Vision* 50(3), 271–293 (2002)
21. Xu, L., Lu, C., Xu, Y., Jia, J.: Image smoothing via l_0 gradient minimization. In: *Proceedings of SIGGRAPH Asia*, pp. 174:1–174:12. ACM (2011)
22. Zach, C., Hane, C., Pollefeys, M.: What is optimized in convex relaxations for multilabel problems: Connecting discrete and continuously inspired map inference. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 36(1), 157–170 (2014)