

Computing With Words—A Paradigm Shift

Lotfi A. Zadeh *

There are many misconceptions about what Computing with Words (CW) is and what it has to offer. A common misconception is that CW is closely related to natural language processing. In reality, this is not the case. More importantly, at this juncture what is widely unrecognized is that moving from computation with numbers to computation with words has the potential for evolving into a basic paradigm shift—a paradigm shift which would open the door to a wide-ranging enlargement of the role of natural languages in scientific theories.

In essence, CW is a system of computation which adds to traditional systems of computation two important capabilities: (a) the capability to precisiate the meaning of words and propositions drawn from natural language; and (b) the capability to reason and compute with precisiated words and propositions.

As a system of computation, a CW-based model, or simply CW-model, has three principal components. (a) A question, Q , of the form: What is the value of a variable, Y ? (b) An information set, $I=(p_1, \dots, p_n)$, where the $p_i, i=(1, \dots, n)$, are propositions which individually or collectively are carriers of information about the value of Y , that is, are question-relevant. One or more of the p_i may be drawn from world knowledge. A proposition, p_i , plays the role of an assignment statement which assigns a value, v_i , to a variable, X_i , in p_i . Equivalently, p_i may be viewed as an answer to the question: What is the value of X_i ? X_i and v_i , may be explicit or implicit. A proposition, p_i , may be unconditional or conditional, expressed as an if-then rule. Basically, an assignment statement constrains the values which X_i is allowed to take. To place this in evidence, X_i and v_i are referred to as the constrained variable and the constraining relation, respectively. More concretely, what this implies is that the meaning of a proposition, p , may be represented as a generalized constraint, $X \text{ isr } R$, in which X is the constrained variable, R is the constraining relation and r defines the modality of the constraint, that is, the way in which R constrains X . When v_i is a word or a combination of words, X_i is referred to as a linguistic variable, with v_i being its linguistic value. When it is helpful to stress that p_i assigns a value to a variable, p_i is referred to as a valuation. Correspondently, the information set, I , is referred to as a valuation system, V .

The third component is an aggregation function, f , which relates Y to the X_i .

$$Y=f(X_1, \dots, X_n)$$

* Department of EECS, University of California, Berkeley, CA 94720-1776; Telephone: 510-642-4959; Fax: 510-642-1712; E-Mail: zadeh@eecs.berkeley.edu. Research supported in part by ONR N00014-02-1-0294, BT Grant CT1080028046, Omron Grant, Tekes Grant, Chevron Texaco Grant and the BISC Program of UC Berkeley.

The principal difference between CW and conventional systems of computation is that CW allows inclusion in the information set, I , of propositions expressed in a natural language, that is, linguistic valuations. Legalization of linguistic valuations has important implications. First, it greatly enhances the capability of computational methodologies to deal with imperfect information, that is, information which in one or more respects is imprecise, uncertain, incomplete, unreliable, vague or partially true. In realistic settings, such information is the norm rather than exception. Second, in cases in which there is a tolerance for imprecision, linguistic valuations serve to exploit the tolerance for imprecision through the use of words in place of numbers. And third, linguistic valuations are close to human reasoning and thus facilitate the design of systems which have a high level of machine intelligence, that is, high level of MIQ (machine IQ).

What does Computing with Words have to offer? The answer rests on two important tools which are provided by the machinery of fuzzy logic. The first tool is a formalism for mm-precisation of propositions expressed in a natural language through representation of the meaning of a proposition as a generalized constraint of the form $X \text{ isr } R$, where as noted earlier X is the constrained variable, R is the constraining relation and r is the modality of the constraint (Zadeh [1986](#)).

The second tool is a formalism for computing with mm-precisiated propositions through propagation and counterpropagation of generalized constraints. The principal rule governing constraint propagation is the Extension Principle (Zadeh [1965](#), [1975](#)). In combination, these two tools provide an effective formalism for computation with information described in a natural language. And it is these tools that serve as a basis for legalization of linguistic valuations.

What is important to note is that the machinery of fuzzy if-then rules—a machinery which is employed in almost all applications of fuzzy logic—is a part of the conceptual structure of CW.

Biographical Note

Professor Lotfi A. Zadeh

LOTFI A. ZADEH is a Professor in the Graduate School, Computer Science Division, Department of EECS, University of California, Berkeley. In addition, he is serving as the Director of BISC (Berkeley Initiative in Soft Computing).

Lotfi Zadeh is an alumnus of the University of Tehran, MIT and Columbia University. He held visiting appointments at the Institute for Advanced Study, Princeton, NJ; MIT, Cambridge, MA; IBM Research Laboratory, San Jose, CA; AI Center, SRI International, Menlo Park, CA; and the Center for the Study of Language and Information, Stanford University. His earlier work was concerned in the main with systems analysis, decision analysis and information systems. His current research is focused on fuzzy logic, computing with words and soft computing, which is a coalition of fuzzy logic, neurocomputing, evolutionary computing, probabilistic computing and parts of machine learning.

Lotfi Zadeh is a Fellow of the IEEE, AAAS, ACM, AAAI, and IFSA. He is a member of the National Academy of Engineering and a Foreign Member of the Russian Academy of Natural Sciences, the Finnish Academy of Sciences, the Polish Academy of Sciences, Korean Academy of Science & Technology and the Bulgarian Academy of Sciences. He is a recipient of the IEEE Education Medal, the IEEE Richard W. Hamming Medal, the IEEE Medal of Honor, the ASME Rufus Oldenburger Medal, the B. Bolzano Medal of the Czech Academy of Sciences, the Kampe de Fieriet Medal, the AACC Richard E. Bellman Control Heritage Award, the Grigore Moisil Prize, the Honda Prize, the Okawa Prize, the AIM Information Science Award, the IEEE-SMC J. P. Wohl Career Achievement Award, the SOFT Scientific Contribution Memorial Award of the Japan Society for Fuzzy Theory, the IEEE Millennium Medal, the ACM 2001 Allen Newell Award, the Norbert Wiener Award of the IEEE Systems, Man and Cybernetics Society, Civitate Honoris Causa by Budapest Tech (BT) Polytechnical Institution, Budapest, Hungary, the V. Kaufmann Prize, International Association for Fuzzy-Set Management and Economy (SIGEF), the Nicolaus Copernicus Medal of the Polish Academy of Sciences, the J. Keith Brimacombe IPMM Award, the Silicon Valley Engineering Hall of Fame, the Heinz Nixdorf MuseumsForum Wall of Fame, other awards and twenty-six honorary doctorates. He has published extensively on a wide variety of subjects relating to the conception, design and analysis of information/intelligent systems, and is serving on the editorial boards of over sixty journals.

Professor in the Graduate School, Computer Science Division
Department of Electrical Engineering and Computer Sciences
University of California
Berkeley, CA 94720 -1776
Director, Berkeley Initiative in Soft Computing (BISC)
zadeh@eecs.berkeley.edu